

J.M.



Oriented PVC fittings. Innovative solutions for water networks





PVC-O Solution

Molecor is committed to an integrated solution for pressurized water networks. ecoFITTOM® fittings, manufactured 100% in PVC-O with our own technology, offer a reliable alternative to the range of traditional fittings used with PVC-O pipe.

Maximum lightness

The ecoFITTOM[®] series can be installed manually up to DN315 mm and is six to twelve times lighter than products made of other materials.

100% compatibility

The ecoFITTOM[®] series is fully compatible with all types of PVC for infrastructure, such as PVC-O, PVC-U and PVC-M.

Inmunity to corrosion

ecoFITTOM[®] is made of PVC, a chemically inert material, immune to corrosion and to attacks by micro and macro organisms, thus guaranteeing the total quality of the water conveyed.



ecoFITTOM[®] is supplied with high quality seals consisting of a polypropylene ring and a synthetic rubber lip that form an integral part of the fitting, preventing displacement during installation and ensuring tightness.

Hydraulic efficiency

The low internal roughness of ecoFITTOM[®] and the smoothness of the bends contribute to reduce the pressure losses of the transported fluid.



Geolocate and traceability

geoTOM[®], the new app of Molecor, offers a complete traceability of each **ecoFITTOM**[®] product and allows to geolocate the pieces which have been installed in a network in an easy and quick way.

Discover **GEOTON** through this QR:





The widest range of PVC-O fittings

Molecor offers the widest range of PVC-O fittings available on the market, both in diameters and pressures.

OFITTOM		
	Nominal Diameter (mm)	Nominal Pressure (bar)
Socketed bend 11,25°/22,5°/45° /90°	90 ^(*) 110 125 140 160 225 250 315 400	200 PN16
Socketed reducer	110/90 125/110 140/110 160/110 160/140 20 225/160 225/200 250/200 315/250 400/31	' PN16
Coupler	110 125 140 160 200 225 250 315 400	PN16
Sliding coupler	90 110 125 140 160 2 225 250 315 400 500	200 PN16



(*) Available Socketed bend 22,5°/45°

The most sustainable solution

One of the pillars on which Molecor's activity is based is the commitment to the environment, with eco-design being the fundamental criteria for the conception and development of our products and molecular oriented technologies.

The commitment to the environment in the production of ecoFITTOM® PVC-O fittings is based on the following principles:

- **O** Sustainability: More than 50% of PVC is made from a derivative of common salt, which contributes significantly to the saving of nonrenewable resources such as oil or gas.
- **O Durability:** The hydrostatic resistance of ecoFITTOM® fittings guarantees better mechanical properties over time, resulting in a service life of more than 100 years.
- **O Recyclability:** PVC is a 100% recyclable material that can be milled and reprocessed, not only for the manufacture of new fittings or pipes, but also for the manufacture of wiring, profiles, urban elements. etc.
- O Environmental Impact: Molecor has assessed the environmental impact of ecoFITTOM® and **TOM®** in all phases of their life cycle from cradle to grave. This analysis of the lifecycle (LCA) value has been developed according to ISO 14040 and ISO 14044 standards.





Worldwide projects



PN: 16 bar



DN: 400mm **PN:** 16 bar



Creation of the drinking water and sewerage service for the district of Paita.



Fully, Switzerland

Pipe network for sprinkler

irrigation of fruit trees.

2018



DN: 110-400mm

PN: 16 bar

Brittany, France 2022

Huesca, Spain

Irrigation modernization

project for the Zaidín

Irrigation Community.

2018

Repair of piping network of the commune Bazouge du Désert.



Quality certification

Quality, both technical and human, and commitment to the environment, are key elements in Molecor's business policy and activity.

With the purpose of achieving customer satisfaction and developing processes efficiently, an Integrated Management System has been implemented based on UNE-EN ISO 9001, UNE-EN ISO 14001 and AENOR Product Certificates for accessories No. 001/007103 in accordance with UNE-CEN/TS 17176-3.



MOLECOR TECNOLOGÍA, S.L. Ctra. M-206 Torrejón-Loeches Km 3.1 - 28890 Loeches, Madrid, Spain T: + 34 911 337 090 | info@molecor.com | www.molecor.com

 $(in)(f)(\mathbf{P})(\mathbf{N})$ (\bigcirc)

© Molecor April 2025 Molecor®, TOM® and ecoFITTOM® are registered trademarks.